



Optcore 1x9 Optical Transceiver Module Guide

Contents

155Mbps 1x9 Optical Module Series.....	- 3 -
155Mbps Dual Fiber 1x9 Optical Module (Commercial Temperature).....	- 3 -
155Mbps Dual Fiber 1x9 Optical Module (Industrial Temperature).....	- 4 -
155Mbps BiDi 1x9 Optical Module (Commercial Temperature).....	- 5 -
155Mbps BiDi 1x9 Optical Module (Industrial Temperature).....	- 6 -
622Mbps 1x9 Optical Module.....	- 8 -
622Mbps Dual Fiber 1x9 Optical Module (Commercial Temperature).....	- 8 -
622Mbps Dual Fiber 1x9 Optical Module (Industrial Temperature).....	- 9 -
622Mbps BiDi 1x9 Optical Module (Commercial Temperature).....	- 10 -
622Mbps BiDi 1x9 Optical Module (Industrial Temperature).....	- 11 -
1.25Gbps 1x9 Optical Module.....	- 13 -
1.25Gbps Dual Fiber 1x9 Optical Module (Commercial Temperature).....	- 13 -
1.25Gbps Dual Fiber 1x9 Optical Module (Industrial Temperature).....	- 14 -
1.25Gbps BiDi 1x9 Optical Module (Commercial Temperature).....	- 15 -
1.25Gbps BiDi 1x9 Optical Module (Industrial Temperature).....	- 16 -
2.5Gbps 1x9 Optical Module Series.....	- 18 -
2.5Gbps Dual Fiber 1x9 Optical Module (Commercial Temperature).....	- 18 -
2.5Gbps Dual Fiber 1x9 Optical Module (Industrial Temperature).....	- 18 -
CWDM 1x9 Optical Module.....	- 19 -
Low Rate 1x9 Optical Module Series.....	- 20 -
0.5Mb/500kb 1x9 Optical Module (Commercial Temperature).....	- 20 -
0.5Mb/500kb 1x9 Optical Module (Industrial Temperature).....	- 20 -
0.5Mb/500kb BiDi 1x9 Optical Module (Commercial Temperature).....	- 21 -
0.5Mb/500kb BiDi 1x9 Optical Module (Industrial Temperature).....	- 21 -
2Mb/s 1x9 Optical Module (Commercial Temperature).....	- 22 -
2Mb/s 1x9 Optical Module (Industrial Temperature).....	- 22 -
2Mb/s BiDi 1x9 Optical Transceiver Module (Commercial Temperature).....	- 23 -
2Mb/s BiDi 1x9 Optical Transceiver Module (Industrial Temperature).....	- 23 -

10Mb/s 1x9 Optical Module (Commercial Temperature).....	- 24 -
10Mb/s 1x9 Optical Module (Industrial Temperature).....	- 24 -
52Mbps Dual Fiber 1x9 Optical Module (Commercial Temperature).....	- 25 -
52Mbps Dual Fiber 1x9 Optical Module (Industrial Temperature).....	- 26 -
52Mb/s BiDi 1x9 Optical Transceiver Module (Commercial Temperature).....	- 27 -
52Mb/s BiDi 1x9 Optical Transceiver Module (Industrial Temperature).....	- 27 -
84Mbps Dual Fiber 1x9 Optical Module (Commercial Temperature).....	- 27 -
84Mbps Dual Fiber 1x9 Optical Module (Industrial Temperature).....	- 28 -

OPTCORE

155Mbps 1x9 Optical Module Series

155Mbps Dual Fiber 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OPT155-8523SCR	155Mb/s 1x9 Optical Transceiver,MMF,850nm,2km,3.3V,SC,0~70°C
OPT155-3123SCR	155Mb/s 1x9 Optical Transceiver,MMF,1310nm,2km,3.3V,SC,0~70°C
OPT155-31203SCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,SC,0~70°C
OPT155-31403SCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,3.3V,SC,0~70°C
OPT155-55803SCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,SC,0~70°C
OPT155-55A23SCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,3.3V,SC,0~70°C
OPT155-55A63SCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,3.3V,SC,0~70°C
OPT155-3123TCR	155Mb/s 1x9 Optical Transceiver,MMF,1310nm,2km,3.3V,ST,0~70°C
OPT155-31203TCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,ST,0~70°C
OPT155-31403TCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,3.3V,ST,0~70°C
OPT155-55803TCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,ST,0~70°C
OPT155-55A23TCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,3.3V,ST,0~70°C
OPT155-55A63TCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,3.3V,ST,0~70°C
OPT155-3123FCR	155Mb/s 1x9 Optical Transceiver,MMF,1310nm,2km,3.3V,FC,0~70°C
OPT155-31203FCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,FC,0~70°C
OPT155-31403FCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,3.3V,FC,0~70°C
OPT155-55803FCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,FC,0~70°C
OPT155-55A23FCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,3.3V,FC,0~70°C
OPT155-55A63FCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,3.3V,FC,0~70°C
OPT155-8525SCR	155Mb/s 1x9 Optical Transceiver,MMF,850nm,2km,5V,SC,0~70°C
OPT155-3125SCR	155Mb/s 1x9 Optical Transceiver,MMF,1310nm,2km,5V,SC,0~70°C
OPT155-31205SCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,SC,0~70°C
OPT155-31405SCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,5V,SC,0~70°C
OPT155-55805SCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,SC,0~70°C
OPT155-55A25SCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,5V,SC,0~70°C
OPT155-55A65SCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,5V,SC,0~70°C
OPT155-3125TCR	155Mb/s 1x9 Optical Transceiver,MMF,1310nm,2km,5V,ST,0~70°C
OPT155-31205TCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,ST,0~70°C
OPT155-31405TCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,5V,ST,0~70°C
OPT155-55805TCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,ST,0~70°C
OPT155-55A25TCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,5V,ST,0~70°C
OPT155-55A65TCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,5V,ST,0~70°C
OPT155-3125FCR	155Mb/s 1x9 Optical Transceiver,MMF,1310nm,2km,5V,FC,0~70°C
OPT155-31205FCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,FC,0~70°C
OPT155-31405FCR	155Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,5V,FC,0~70°C
OPT155-55805FCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,FC,0~70°C
OPT155-55A25FCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,5V,FC,0~70°C

[Back to Contents](#)

OPT155-55A65FCR	155Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,5V,FC,0~70°C
-----------------	---

155Mbps Dual Fiber 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OPT155-8523STR	155Mb/s 1x9 Industrial Transceiver,MMF,850nm,2km,3.3V,SC,-40~85°C
OPT155-3123STR	155Mb/s 1x9 Industrial Transceiver,MMF,1310nm,2km,3.3V,SC,-40~85°C
OPT155-31203STR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,3.3V,SC,-40~85°C
OPT155-31403STR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,3.3V,SC,-40~85°C
OPT155-55803STR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,3.3V,SC,-40~85°C
OPT155-55A23STR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,3.3V,SC,-40~85°C
OPT155-55A63STR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,3.3V,SC,-40~85°C
OPT155-3123TTR	155Mb/s 1x9 Industrial Transceiver,MMF,1310nm,2km,3.3V,ST,-40~85°C
OPT155-31203TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,3.3V,ST,-40~85°C
OPT155-31403TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,3.3V,ST,-40~85°C
OPT155-55803TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,3.3V,ST,-40~85°C
OPT155-55A23TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,3.3V,ST,-40~85°C
OPT155-55A63TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,3.3V,ST,-40~85°C
OPT155-3123FTR	155Mb/s 1x9 Industrial Transceiver,MMF,1310nm,2km,3.3V,FC,-40~85°C
OPT155-31203FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,3.3V,FC,-40~85°C
OPT155-31403FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,3.3V,FC,-40~85°C
OPT155-55803FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,3.3V,FC,-40~85°C
OPT155-55A23FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,3.3V,FC,-40~85°C
OPT155-55A63FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,3.3V,FC,-40~85°C
OPT155-8525STR	155Mb/s 1x9 Industrial Transceiver,MMF,850nm,2km,5V,SC,-40~85°C
OPT155-3125STR	155Mb/s 1x9 Industrial Transceiver,MMF,1310nm,2km,5V,SC,-40~85°C
OPT155-31205STR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,5V,SC,-40~85°C
OPT155-31405STR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,5V,SC,-40~85°C
OPT155-55805STR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,5V,SC,-40~85°C
OPT155-55A25STR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,5V,SC,-40~85°C
OPT155-55A65STR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,5V,SC,-40~85°C
OPT155-3125TTR	155Mb/s 1x9 Industrial Transceiver,MMF,1310nm,2km,5V,ST,-40~85°C
OPT155-31205TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,5V,ST,-40~85°C
OPT155-31405TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,5V,ST,-40~85°C
OPT155-55805TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,5V,ST,-40~85°C
OPT155-55A25TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,5V,ST,-40~85°C
OPT155-55A65TTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,5V,ST,-40~85°C
OPT155-3125FTR	155Mb/s 1x9 Industrial Transceiver,MMF,1310nm,2km,5V,FC,-40~85°C
OPT155-31205FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,5V,FC,-40~85°C
OPT155-31405FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,5V,FC,-40~85°C
OPT155-55805FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,5V,FC,-40~85°C

OPT155-55A25FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,5V,FC,-40~85°C
OPT155-55A65FTR	155Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,5V,FC,-40~85°C

155Mbps BiDi 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OTB155-35203SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,20km,3.3V,SC,0~70°C
OTB155-53203SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,20km,3.3V,SC,0~70°C
OTB155-35403SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,40km,3.3V,SC,0~70°C
OTB155-53403SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,40km,3.3V,SC,0~70°C
OTB155-35803SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,80km,3.3V,SC,0~70°C
OTB155-53803SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,80km,3.3V,SC,0~70°C
OTB155-45A23SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1490/RX:1550nm,SMF,120km,3.3V,SC,0~70°C
OTB155-54A23SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1490nm,SMF,120km,3.3V,SC,0~70°C
OTB155-35203TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,20km,3.3V,ST,0~70°C
OTB155-53203TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,20km,3.3V,ST,0~70°C
OTB155-35403TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,40km,3.3V,ST,0~70°C
OTB155-53403TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,40km,3.3V,ST,0~70°C
OTB155-35803TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,80km,3.3V,ST,0~70°C
OTB155-53803TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,80km,3.3V,ST,0~70°C
OTB155-45A23TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1490/RX:1550nm,SMF,120km,3.3V,ST,0~70°C
OTB155-54A23TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1490nm,SMF,120km,3.3V,ST,0~70°C
OTB155-35203FCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,20km,3.3V,FC,0~70°C
OTB155-53203FCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,20km,3.3V,FC,0~70°C
OTB155-35403FCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,40km,3.3V,FC,0~70°C
OTB155-53403FCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,40km,3.3V,FC,0~70°C
OTB155-35803FCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,80km,3.3V,FC,0~70°C
OTB155-53803FCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,80km,3.3V,FC,0~70°C
OTB155-45A23FCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1490/RX:1550nm,SMF,120km,3.3V,FC,0~70°C
OTB155-54A23FCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1490nm,SMF,120km,3.3V,FC,0~70°C
OTB155-35205SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,20km,5V,SC,0~70°C
OTB155-53205SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,20km,5V,SC,0~70°C
OTB155-35405SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,40km,5V,SC,0~70°C
OTB155-53405SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,40km,5V,SC,0~70°C
OTB155-35805SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,80km,5V,SC,0~70°C
OTB155-53805SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,80km,5V,SC,0~70°C
OTB155-45A25SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1490/RX:1550nm,SMF,120km,5V,SC,0~70°C
OTB155-54A25SCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1490nm,SMF,120km,5V,SC,0~70°C
OTB155-35205TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,20km,5V,ST,0~70°C
OTB155-53205TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1550/RX:1310nm,SMF,20km,5V,ST,0~70°C
OTB155-35405TCR	155Mb/s BiDi 1x9 Optical Transceiver,TX:1310/RX:1550nm,SMF,40km,5V,ST,0~70°C

OTB155-53405TCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,5V,ST,0~70°C
OTB155-35805TCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,80km,5V,ST,0~70°C
OTB155-53805TCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,80km,5V,ST,0~70°C
OTB155-45A25TCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,5V,ST,0~70°C
OTB155-54A25TCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,120km,5V,ST,0~70°C
OTB155-35205FCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,20km,5V,FC,0~70°C
OTB155-53205FCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,20km,5V,FC,0~70°C
OTB155-35405FCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,40km,5V,FC,0~70°C
OTB155-53405FCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,5V,FC,0~70°C
OTB155-35805FCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,80km,5V,FC,0~70°C
OTB155-53805FCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,80km,5V,FC,0~70°C
OTB155-45A25FCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,5V,FC,0~70°C
OTB155-54A25FCR	155Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,120km,5V,FC,0~70°C

155Mbps BiDi 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OTB155-35203STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm,SMF,20km,3.3V,SC,-40~85°C
OTB155-53203STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm,SMF,20km,3.3V,SC,-40~85°C
OTB155-35403STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm,SMF,40km,3.3V,SC,-40~85°C
OTB155-53403STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,3.3V,SC,-40~85°C
OTB155-35803STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm,SMF,80km,3.3V,SC,-40~85°C
OTB155-53803STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm,SMF,80km,3.3V,SC,-40~85°C
OTB155-45A23STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,3.3V,SC,-40~85°C
OTB155-54A23STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm,SMF,120km,3.3V,SC,-40~85°C
OTB155-35203TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm,SMF,20km,3.3V,ST,-40~85°C
OTB155-53203TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm,SMF,20km,3.3V,ST,-40~85°C
OTB155-35403TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm,SMF,40km,3.3V,ST,-40~85°C
OTB155-53403TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,3.3V,ST,-40~85°C
OTB155-35803TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm,SMF,80km,3.3V,ST,-40~85°C
OTB155-53803TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm,SMF,80km,3.3V,ST,-40~85°C
OTB155-45A23TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,3.3V,ST,-40~85°C
OTB155-54A23TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm,SMF,120km,3.3V,ST,-40~85°C
OTB155-35203FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm,SMF,20km,3.3V,FC,-40~85°C
OTB155-53203FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm,SMF,20km,3.3V,FC,-40~85°C
OTB155-35403FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm,SMF,40km,3.3V,FC,-40~85°C
OTB155-53403FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,3.3V,FC,-40~85°C
OTB155-35803FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm,SMF,80km,3.3V,FC,-40~85°C
OTB155-53803FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm,SMF,80km,3.3V,FC,-40~85°C
OTB155-45A23FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,3.3V,FC,-40~85°C
OTB155-54A23FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm,SMF,120km,3.3V,FC,-40~85°C

OTB155-35205STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, SC, -40~85°C
OTB155-53205STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, SC, -40~85°C
OTB155-35405STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, SC, -40~85°C
OTB155-53405STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, SC, -40~85°C
OTB155-35805STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 80km, 5V, SC, -40~85°C
OTB155-53805STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 80km, 5V, SC, -40~85°C
OTB155-45A25STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, SC, -40~85°C
OTB155-54A25STR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, SC, -40~85°C
OTB155-35205TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, ST, -40~85°C
OTB155-53205TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, ST, -40~85°C
OTB155-35405TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, ST, -40~85°C
OTB155-53405TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, ST, -40~85°C
OTB155-35805TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 80km, 5V, ST, -40~85°C
OTB155-53805TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 80km, 5V, ST, -40~85°C
OTB155-45A25TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, ST, -40~85°C
OTB155-54A25TTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, ST, -40~85°C
OTB155-35205FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, FC, -40~85°C
OTB155-53205FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, FC, -40~85°C
OTB155-35405FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, FC, -40~85°C
OTB155-53405FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, FC, -40~85°C
OTB155-35805FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 80km, 5V, FC, -40~85°C
OTB155-53805FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 80km, 5V, FC, -40~85°C
OTB155-45A25FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, FC, -40~85°C
OTB155-54A25FTR	155Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, FC, -40~85°C

622Mbps 1x9 Optical Module

622Mbps Dual Fiber 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OPT622-85053SCR	622Mb/s 1x9 Optical Transceiver,MMF,850nm,550m,3.3V,SC,0~70°C
OPT622-31203SCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,SC,0~70°C
OPT622-31403SCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,3.3V,SC,0~70°C
OPT622-55803SCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,SC,0~70°C
OPT622-55A23SCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,3.3V,SC,0~70°C
OPT622-55A63SCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,3.3V,SC,0~70°C
OPT622-85053TCR	622Mb/s 1x9 Optical Transceiver,MMF,850nm,550m,3.3V,ST,0~70°C
OPT622-31203TCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,ST,0~70°C
OPT622-31403TCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,3.3V,ST,0~70°C
OPT622-55803TCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,ST,0~70°C
OPT622-55A23TCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,3.3V,ST,0~70°C
OPT622-55A63TCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,3.3V,ST,0~70°C
OPT622-85053FCR	622Mb/s 1x9 Optical Transceiver,MMF,850nm,550m,3.3V,FC,0~70°C
OPT622-31203FCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,FC,0~70°C
OPT622-31403FCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,3.3V,FC,0~70°C
OPT622-55803FCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,FC,0~70°C
OPT622-55A23FCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,3.3V,FC,0~70°C
OPT622-55A63FCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,3.3V,FC,0~70°C
OPT622-85055SCR	622Mb/s 1x9 Optical Transceiver,MMF,850nm,550m,5V,SC,0~70°C
OPT622-31205SCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,SC,0~70°C
OPT622-31405SCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,5V,SC,0~70°C
OPT622-55805SCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,SC,0~70°C
OPT622-55A25SCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,5V,SC,0~70°C
OPT622-55A65SCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,5V,SC,0~70°C
OPT622-85055TCR	622Mb/s 1x9 Optical Transceiver,MMF,850nm,550m,5V,ST,0~70°C
OPT622-31205TCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,ST,0~70°C
OPT622-31405TCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,5V,ST,0~70°C
OPT622-55805TCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,ST,0~70°C
OPT622-55A25TCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,5V,ST,0~70°C
OPT622-55A65TCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,5V,ST,0~70°C
OPT622-85055FCR	622Mb/s 1x9 Optical Transceiver,MMF,850nm,550m,5V,FC,0~70°C
OPT622-31205FCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,FC,0~70°C
OPT622-31405FCR	622Mb/s 1x9 Optical Transceiver,SMF,1310nm,40km,5V,FC,0~70°C
OPT622-55805FCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,FC,0~70°C
OPT622-55A25FCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,120km,5V,FC,0~70°C
OPT622-55A65FCR	622Mb/s 1x9 Optical Transceiver,SMF,1550nm,160km,5V,FC,0~70°C

622Mbps Dual Fiber 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OPT622-85053STR	622Mb/s 1x9 Industrial Transceiver,MMF,850nm,550m,3.3V,SC,-40~85°C
OPT622-31203STR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,3.3V,SC,-40~85°C
OPT622-31403STR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,3.3V,SC,-40~85°C
OPT622-55803STR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,3.3V,SC,-40~85°C
OPT622-55A23STR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,3.3V,SC,-40~85°C
OPT622-55A63STR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,3.3V,SC,-40~85°C
OPT622-85053TTR	622Mb/s 1x9 Industrial Transceiver,MMF,850nm,550m,3.3V,ST,-40~85°C
OPT622-31203TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,3.3V,ST,-40~85°C
OPT622-31403TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,3.3V,ST,-40~85°C
OPT622-55803TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,3.3V,ST,-40~85°C
OPT622-55A23TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,3.3V,ST,-40~85°C
OPT622-55A63TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,3.3V,ST,-40~85°C
OPT622-85053FTR	622Mb/s 1x9 Industrial Transceiver,MMF,850nm,550m,3.3V,FC,-40~85°C
OPT622-31203FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,3.3V,FC,-40~85°C
OPT622-31403FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,3.3V,FC,-40~85°C
OPT622-55803FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,3.3V,FC,-40~85°C
OPT622-55A23FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,3.3V,FC,-40~85°C
OPT622-55A63FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,3.3V,FC,-40~85°C
OPT622-85055STR	622Mb/s 1x9 Industrial Transceiver,MMF,850nm,550m,5V,SC,-40~85°C
OPT622-31205STR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,5V,SC,-40~85°C
OPT622-31405STR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,5V,SC,-40~85°C
OPT622-55805STR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,5V,SC,-40~85°C
OPT622-55A25STR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,5V,SC,-40~85°C
OPT622-55A65STR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,5V,SC,-40~85°C
OPT622-85055TTR	622Mb/s 1x9 Industrial Transceiver,MMF,850nm,550m,5V,ST,-40~85°C
OPT622-31205TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,5V,ST,-40~85°C
OPT622-31405TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,5V,ST,-40~85°C
OPT622-55805TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,5V,ST,-40~85°C
OPT622-55A25TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,5V,ST,-40~85°C
OPT622-55A65TTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,5V,ST,-40~85°C
OPT622-85055FTR	622Mb/s 1x9 Industrial Transceiver,MMF,850nm,550m,5V,FC,-40~85°C
OPT622-31205FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,5V,FC,-40~85°C
OPT622-31405FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,5V,FC,-40~85°C
OPT622-55805FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,5V,FC,-40~85°C
OPT622-55A25FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,5V,FC,-40~85°C
OPT622-55A65FTR	622Mb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,5V,FC,-40~85°C

622Mbps BiDi 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OTB622-35203SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,20km,3.3V,SC,0~70°C
OTB622-53203SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,20km,3.3V,SC,0~70°C
OTB622-35403SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,40km,3.3V,SC,0~70°C
OTB622-53403SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,3.3V,SC,0~70°C
OTB622-45803SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,80km,3.3V,SC,0~70°C
OTB622-54803SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,80km,3.3V,SC,0~70°C
OTB622-45A23SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,3.3V,SC,0~70°C
OTB622-54A23SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,120km,3.3V,SC,0~70°C
OTB622-35203TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,20km,3.3V,ST,0~70°C
OTB622-53203TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,20km,3.3V,ST,0~70°C
OTB622-35403TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,40km,3.3V,ST,0~70°C
OTB622-53403TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,3.3V,ST,0~70°C
OTB622-45803TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,80km,3.3V,ST,0~70°C
OTB622-54803TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,80km,3.3V,ST,0~70°C
OTB622-45A23TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,3.3V,ST,0~70°C
OTB622-54A23TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,120km,3.3V,ST,0~70°C
OTB622-35203FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,20km,3.3V,FC,0~70°C
OTB622-53203FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,20km,3.3V,FC,0~70°C
OTB622-35403FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,40km,3.3V,FC,0~70°C
OTB622-53403FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,3.3V,FC,0~70°C
OTB622-45803FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,80km,3.3V,FC,0~70°C
OTB622-54803FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,80km,3.3V,FC,0~70°C
OTB622-45A23FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,3.3V,FC,0~70°C
OTB622-54A23FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,120km,3.3V,FC,0~70°C
OTB622-35205SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,20km,5V,SC,0~70°C
OTB622-53205SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,20km,5V,SC,0~70°C
OTB622-35405SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,40km,5V,SC,0~70°C
OTB622-53405SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,5V,SC,0~70°C
OTB622-45805SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,80km,5V,SC,0~70°C
OTB622-54805SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,80km,5V,SC,0~70°C
OTB622-45A25SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,5V,SC,0~70°C
OTB622-54A25SCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,120km,5V,SC,0~70°C
OTB622-35205TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,20km,5V,ST,0~70°C
OTB622-53205TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,20km,5V,ST,0~70°C
OTB622-35405TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm,SMF,40km,5V,ST,0~70°C
OTB622-53405TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm,SMF,40km,5V,ST,0~70°C
OTB622-45805TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,80km,5V,ST,0~70°C
OTB622-54805TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm,SMF,80km,5V,ST,0~70°C
OTB622-45A25TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm,SMF,120km,5V,ST,0~70°C

OTB622-54A25TCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, ST, 0~70°C
OTB622-35205FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, FC, 0~70°C
OTB622-53205FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, FC, 0~70°C
OTB622-35405FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, FC, 0~70°C
OTB622-53405FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, FC, 0~70°C
OTB622-45805FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, FC, 0~70°C
OTB622-54805FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, FC, 0~70°C
OTB622-45A25FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, FC, 0~70°C
OTB622-54A25FCR	622Mb/s BiDi 1x9 Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, FC, 0~70°C

622Mbps BiDi 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OTB622-35203STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 3.3V, SC, -40~85°C
OTB622-53203STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 3.3V, SC, -40~85°C
OTB622-35403STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 3.3V, SC, -40~85°C
OTB622-53403STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 3.3V, SC, -40~85°C
OTB622-45803STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 80km, 3.3V, SC, -40~85°C
OTB622-54803STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 80km, 3.3V, SC, -40~85°C
OTB622-45A23STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 3.3V, SC, -40~85°C
OTB622-54A23STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 3.3V, SC, -40~85°C
OTB622-35203TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 3.3V, ST, -40~85°C
OTB622-53203TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 3.3V, ST, -40~85°C
OTB622-35403TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 3.3V, ST, -40~85°C
OTB622-53403TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 3.3V, ST, -40~85°C
OTB622-45803TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 80km, 3.3V, ST, -40~85°C
OTB622-54803TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 80km, 3.3V, ST, -40~85°C
OTB622-45A23TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 3.3V, ST, -40~85°C
OTB622-54A23TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 3.3V, ST, -40~85°C
OTB622-35203FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 3.3V, FC, -40~85°C
OTB622-53203FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 3.3V, FC, -40~85°C
OTB622-35403FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 3.3V, FC, -40~85°C
OTB622-53403FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 3.3V, FC, -40~85°C
OTB622-45803FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 80km, 3.3V, FC, -40~85°C
OTB622-54803FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 80km, 3.3V, FC, -40~85°C
OTB622-45A23FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 3.3V, FC, -40~85°C
OTB622-54A23FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 3.3V, FC, -40~85°C
OTB622-35205STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, SC, -40~85°C
OTB622-53205STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, SC, -40~85°C
OTB622-35405STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, SC, -40~85°C
OTB622-53405STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, SC, -40~85°C

OTB622-45805STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, SC, -40~85°C
OTB622-54805STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, SC, -40~85°C
OTB622-45A25STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, SC, -40~85°C
OTB622-54A25STR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, SC, -40~85°C
OTB622-35205TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, ST, -40~85°C
OTB622-53205TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, ST, -40~85°C
OTB622-35405TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, ST, -40~85°C
OTB622-53405TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, ST, -40~85°C
OTB622-45805TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, ST, -40~85°C
OTB622-54805TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, ST, -40~85°C
OTB622-45A25TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, ST, -40~85°C
OTB622-54A25TTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, ST, -40~85°C
OTB622-35205FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, FC, -40~85°C
OTB622-53205FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, FC, -40~85°C
OTB622-35405FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, FC, -40~85°C
OTB622-53405FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, FC, -40~85°C
OTB622-45805FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, FC, -40~85°C
OTB622-54805FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, FC, -40~85°C
OTB622-45A25FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, FC, -40~85°C
OTB622-54A25FTR	622Mb/s BiDi 1x9 Industrial Optical Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, FC, -40~85°C

1.25Gbps 1x9 Optical Module

1.25Gbps Dual Fiber 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OPT1250-85053SCR	1.25Gb/s 1x9 Optical Transceiver,MMF,850nm,550m,3.3V,SC,0~70°C
OPT1250-31203SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,SC,0~70°C
OPT1250-31403SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,40km,3.3V,SC,0~70°C
OPT1250-55803SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,SC,0~70°C
OPT1250-55A23SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,120km,3.3V,SC,0~70°C
OPT1250-55A63SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,160km,3.3V,SC,0~70°C
OPT1250-85053TCR	1.25Gb/s 1x9 Optical Transceiver,MMF,850nm,550m,3.3V,ST,0~70°C
OPT1250-31203TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,ST,0~70°C
OPT1250-31403TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,40km,3.3V,ST,0~70°C
OPT1250-55803TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,ST,0~70°C
OPT1250-55A23TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,120km,3.3V,ST,0~70°C
OPT1250-55A63TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,160km,3.3V,ST,0~70°C
OPT1250-85053FCR	1.25Gb/s 1x9 Optical Transceiver,MMF,850nm,550m,3.3V,FC,0~70°C
OPT1250-31203FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,FC,0~70°C
OPT1250-31403FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,40km,3.3V,FC,0~70°C
OPT1250-55803FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,FC,0~70°C
OPT1250-55A23FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,120km,3.3V,FC,0~70°C
OPT1250-55A63FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,160km,3.3V,FC,0~70°C
OPT1250-85055SCR	1.25Gb/s 1x9 Optical Transceiver,MMF,850nm,550m,5V,SC,0~70°C
OPT1250-31205SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,SC,0~70°C
OPT1250-31405SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,40km,5V,SC,0~70°C
OPT1250-55805SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,SC,0~70°C
OPT1250-55A25SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,120km,5V,SC,0~70°C
OPT1250-55A65SCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,160km,5V,SC,0~70°C
OPT1250-85055TCR	1.25Gb/s 1x9 Optical Transceiver,MMF,850nm,550m,5V,ST,0~70°C
OPT1250-31205TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,ST,0~70°C
OPT1250-31405TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,40km,5V,ST,0~70°C
OPT1250-55805TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,ST,0~70°C
OPT1250-55A25TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,120km,5V,ST,0~70°C
OPT1250-55A65TCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,160km,5V,ST,0~70°C
OPT1250-85055FCR	1.25Gb/s 1x9 Optical Transceiver,MMF,850nm,550m,5V,FC,0~70°C
OPT1250-31205FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,FC,0~70°C
OPT1250-31405FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1310nm,40km,5V,FC,0~70°C
OPT1250-55805FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,FC,0~70°C
OPT1250-55A25FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,120km,5V,FC,0~70°C
OPT1250-55A65FCR	1.25Gb/s 1x9 Optical Transceiver,SMF,1550nm,160km,5V,FC,0~70°C

1.25Gbps Dual Fiber 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OPT1250-85053STR	1.25Gb/s 1x9 Industrial Transceiver,MMF,850nm,550m,3.3V,SC,-40~85°C
OPT1250-31203STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,3.3V,SC,-40~85°C
OPT1250-31403STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,3.3V,SC,-40~85°C
OPT1250-55803STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,3.3V,SC,-40~85°C
OPT1250-55A23STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,3.3V,SC,-40~85°C
OPT1250-55A63STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,3.3V,SC,-40~85°C
OPT1250-85053TTR	1.25Gb/s 1x9 Industrial Transceiver,MMF,850nm,550m,3.3V,ST,-40~85°C
OPT1250-31203TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,3.3V,ST,-40~85°C
OPT1250-31403TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,3.3V,ST,-40~85°C
OPT1250-55803TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,3.3V,ST,-40~85°C
OPT1250-55A23TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,3.3V,ST,-40~85°C
OPT1250-55A63TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,3.3V,ST,-40~85°C
OPT1250-85053FTR	1.25Gb/s 1x9 Industrial Transceiver,MMF,850nm,550m,3.3V,FC,-40~85°C
OPT1250-31203FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,3.3V,FC,-40~85°C
OPT1250-31403FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,3.3V,FC,-40~85°C
OPT1250-55803FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,3.3V,FC,-40~85°C
OPT1250-55A23FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,3.3V,FC,-40~85°C
OPT1250-55A63FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,3.3V,FC,-40~85°C
OPT1250-85055STR	1.25Gb/s 1x9 Industrial Transceiver,MMF,850nm,550m,5V,SC,-40~85°C
OPT1250-31205STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,5V,SC,-40~85°C
OPT1250-31405STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,5V,SC,-40~85°C
OPT1250-55805STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,5V,SC,-40~85°C
OPT1250-55A25STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,5V,SC,-40~85°C
OPT1250-55A65STR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,5V,SC,-40~85°C
OPT1250-85055TTR	1.25Gb/s 1x9 Industrial Transceiver,MMF,850nm,550m,5V,ST,-40~85°C
OPT1250-31205TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,5V,ST,-40~85°C
OPT1250-31405TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,5V,ST,-40~85°C
OPT1250-55805TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,5V,ST,-40~85°C
OPT1250-55A25TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,5V,ST,-40~85°C
OPT1250-55A65TTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,5V,ST,-40~85°C
OPT1250-85055FTR	1.25Gb/s 1x9 Industrial Transceiver,MMF,850nm,550m,5V,FC,-40~85°C
OPT1250-31205FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,20km,5V,FC,-40~85°C
OPT1250-31405FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1310nm,40km,5V,FC,-40~85°C
OPT1250-55805FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,80km,5V,FC,-40~85°C
OPT1250-55A25FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,120km,5V,FC,-40~85°C
OPT1250-55A65FTR	1.25Gb/s 1x9 Industrial Transceiver,SMF,1550nm,160km,5V,FC,-40~85°C

1.25Gbps BiDi 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OTB1250-35203SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 20km, 3.3V, SC, 0~70°C
OTB1250-53203SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 20km, 3.3V, SC, 0~70°C
OTB1250-35403SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 40km, 3.3V, SC, 0~70°C
OTB1250-53403SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 40km, 3.3V, SC, 0~70°C
OTB1250-45803SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 80km, 3.3V, SC, 0~70°C
OTB1250-54803SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 80km, 3.3V, SC, 0~70°C
OTB1250-45A23SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 120km, 3.3V, SC, 0~70°C
OTB1250-54A23SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 120km, 3.3V, SC, 0~70°C
OTB1250-35203TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 20km, 3.3V, ST, 0~70°C
OTB1250-53203TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 20km, 3.3V, ST, 0~70°C
OTB1250-35403TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 40km, 3.3V, ST, 0~70°C
OTB1250-53403TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 40km, 3.3V, ST, 0~70°C
OTB1250-45803TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 80km, 3.3V, ST, 0~70°C
OTB1250-54803TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 80km, 3.3V, ST, 0~70°C
OTB1250-45A23TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 120km, 3.3V, ST, 0~70°C
OTB1250-54A23TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 120km, 3.3V, ST, 0~70°C
OTB1250-35203FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 20km, 3.3V, FC, 0~70°C
OTB1250-53203FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 20km, 3.3V, FC, 0~70°C
OTB1250-35403FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 40km, 3.3V, FC, 0~70°C
OTB1250-53403FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 40km, 3.3V, FC, 0~70°C
OTB1250-45803FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 80km, 3.3V, FC, 0~70°C
OTB1250-54803FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 80km, 3.3V, FC, 0~70°C
OTB1250-45A23FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 120km, 3.3V, FC, 0~70°C
OTB1250-54A23FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 120km, 3.3V, FC, 0~70°C
OTB1250-35205SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, SC, 0~70°C
OTB1250-53205SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, SC, 0~70°C
OTB1250-35405SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, SC, 0~70°C
OTB1250-53405SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, SC, 0~70°C
OTB1250-45805SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, SC, 0~70°C
OTB1250-54805SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, SC, 0~70°C
OTB1250-45A25SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, SC, 0~70°C
OTB1250-54A25SCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, SC, 0~70°C
OTB1250-35205TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, ST, 0~70°C
OTB1250-53205TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, ST, 0~70°C
OTB1250-35405TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, ST, 0~70°C
OTB1250-53405TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, ST, 0~70°C
OTB1250-45805TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, ST, 0~70°C
OTB1250-54805TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, ST, 0~70°C
OTB1250-45A25TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, ST, 0~70°C

OTB1250-54A25TCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, ST, 0~70°C
OTB1250-35205FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, FC, 0~70°C
OTB1250-53205FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, FC, 0~70°C
OTB1250-35405FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, FC, 0~70°C
OTB1250-53405FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, FC, 0~70°C
OTB1250-45805FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, FC, 0~70°C
OTB1250-54805FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, FC, 0~70°C
OTB1250-45A25FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, FC, 0~70°C
OTB1250-54A25FCR	1.25Gb/s BiDi 1x9 Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, FC, 0~70°C

1.25Gbps BiDi 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OTB1250-35203STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 20km, 3.3V, SC, -40~85°C
OTB1250-53203STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 20km, 3.3V, SC, -40~85°C
OTB1250-35403STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 40km, 3.3V, SC, -40~85°C
OTB1250-53403STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 40km, 3.3V, SC, -40~85°C
OTB1250-45803STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 80km, 3.3V, SC, -40~85°C
OTB1250-54803STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 80km, 3.3V, SC, -40~85°C
OTB1250-45A23STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 120km, 3.3V, SC, -40~85°C
OTB1250-54A23STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 120km, 3.3V, SC, -40~85°C
OTB1250-35203TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 20km, 3.3V, ST, -40~85°C
OTB1250-53203TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 20km, 3.3V, ST, -40~85°C
OTB1250-35403TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 40km, 3.3V, ST, -40~85°C
OTB1250-53403TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 40km, 3.3V, ST, -40~85°C
OTB1250-45803TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 80km, 3.3V, ST, -40~85°C
OTB1250-54803TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 80km, 3.3V, ST, -40~85°C
OTB1250-45A23TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 120km, 3.3V, ST, -40~85°C
OTB1250-54A23TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 120km, 3.3V, ST, -40~85°C
OTB1250-35203FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 20km, 3.3V, FC, -40~85°C
OTB1250-53203FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 20km, 3.3V, FC, -40~85°C
OTB1250-35403FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 40km, 3.3V, FC, -40~85°C
OTB1250-53403FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 40km, 3.3V, FC, -40~85°C
OTB1250-45803FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 80km, 3.3V, FC, -40~85°C
OTB1250-54803FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 80km, 3.3V, FC, -40~85°C
OTB1250-45A23FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 120km, 3.3V, FC, -40~85°C
OTB1250-54A23FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 120km, 3.3V, FC, -40~85°C
OTB1250-35205STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, SC, -40~85°C
OTB1250-53205STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, SC, -40~85°C
OTB1250-35405STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, SC, -40~85°C

OTB1250-53405STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, SC, -40~85°C
OTB1250-45805STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, SC, -40~85°C
OTB1250-54805STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, SC, -40~85°C
OTB1250-45A25STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, SC, -40~85°C
OTB1250-54A25STR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, SC, -40~85°C
OTB1250-35205TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, ST, -40~85°C
OTB1250-53205TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, ST, -40~85°C
OTB1250-35405TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, ST, -40~85°C
OTB1250-53405TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, ST, -40~85°C
OTB1250-45805TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, ST, -40~85°C
OTB1250-54805TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, ST, -40~85°C
OTB1250-45A25TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, ST, -40~85°C
OTB1250-54A25TTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, ST, -40~85°C
OTB1250-35205FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 20km, 5V, FC, -40~85°C
OTB1250-53205FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 20km, 5V, FC, -40~85°C
OTB1250-35405FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1310/RX:1550nm, SMF, 40km, 5V, FC, -40~85°C
OTB1250-53405FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1310nm, SMF, 40km, 5V, FC, -40~85°C
OTB1250-45805FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 80km, 5V, FC, -40~85°C
OTB1250-54805FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 80km, 5V, FC, -40~85°C
OTB1250-45A25FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1490/RX:1550nm, SMF, 120km, 5V, FC, -40~85°C
OTB1250-54A25FTR	1.25Gb/s BiDi 1x9 Industrial Transceiver, TX:1550/RX:1490nm, SMF, 120km, 5V, FC, -40~85°C

2.5Gbps 1x9 Optical Module Series

2.5Gbps Dual Fiber 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OPT2488-85033SCR	2.5Gb/s 1x9 Optical Transceiver,MMF,850nm,300m,3.3V,SC,0~70°C
OPT2488-3123SCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,2km,3.3V,SC,0~70°C
OPT2488-31203SCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,SC,0~70°C
OPT2488-55403SCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,40km,3.3V,SC,0~70°C
OPT2488-55803SCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,SC,0~70°C
OPT2488-85033FCR	2.5Gb/s 1x9 Optical Transceiver,MMF,850nm,300m,3.3V,FC,0~70°C
OPT2488-3123FCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,2km,3.3V,FC,0~70°C
OPT2488-31203FCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,FC,0~70°C
OPT2488-55403FCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,40km,3.3V,FC,0~70°C
OPT2488-55803FCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,3.3V,FC,0~70°C
OPT2488-85033TCR	2.5Gb/s 1x9 Optical Transceiver,MMF,850nm,300m,3.3V,ST,0~70°C
OPT2488-3123TCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,2km,3.3V,ST,0~70°C
OPT2488-31203TCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,3.3V,ST,0~70°C
OPT2488-55403TCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,40km,3.3V,ST,0~70°C
OPT2488-55803TCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,80km,3.3V,ST,0~70°C
OPT2488-85035SCR	2.5Gb/s 1x9 Optical Transceiver,MMF,850nm,300m,5V,SC,0~70°C
OPT2488-3125SCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,2km,5V,SC,0~70°C
OPT2488-31205SCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,SC,0~70°C
OPT2488-55405SCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,40km,5V,SC,0~70°C
OPT2488-55805SCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,SC,0~70°C
OPT2488-85035FCR	2.5Gb/s 1x9 Optical Transceiver,MMF,850nm,300m,5V,FC,0~70°C
OPT2488-3125FCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,2km,5V,FC,0~70°C
OPT2488-31205FCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,FC,0~70°C
OPT2488-55405FCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,40km,5V,FC,0~70°C
OPT2488-55805FCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,FC,0~70°C
OPT2488-85035TCR	2.5Gb/s 1x9 Optical Transceiver,MMF,850nm,300m,5V,ST,0~70°C
OPT2488-3125TCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,2km,5V,ST,0~70°C
OPT2488-31205TCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1310nm,20km,5V,ST,0~70°C
OPT2488-55405TCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,40km,5V,ST,0~70°C
OPT2488-55805TCR	2.5Gb/s 1x9 Optical Transceiver,SMF,1550nm,80km,5V,ST,0~70°C

[Back to Contents](#)

2.5Gbps Dual Fiber 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OPT2488-85033STR	2.5Gb/s 1x9 Industrial Optical Transceiver,MMF,850nm,300m,3.3V,SC,-40~85°C
OPT2488-3123STR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,2km,3.3V,SC,-40~85°C
OPT2488-31203STR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,SC,-40~85°C

OPT2488-55403STR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1550nm,40km,3.3V,SC,-40~85°C
OPT2488-55803STR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,80km,3.3V,SC,-40~85°C
OPT2488-85033FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,MMF,850nm,300m,3.3V,FC,-40~85°C
OPT2488-3123FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,2km,3.3V,FC,-40~85°C
OPT2488-31203FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,FC,-40~85°C
OPT2488-55403FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1550nm,40km,3.3V,FC,-40~85°C
OPT2488-55803FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,80km,3.3V,FC,-40~85°C
OPT2488-85033TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,MMF,850nm,300m,3.3V,ST,-40~85°C
OPT2488-3123TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,2km,3.3V,ST,-40~85°C
OPT2488-31203TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,ST,-40~85°C
OPT2488-55403TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1550nm,40km,3.3V,ST,-40~85°C
OPT2488-55803TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,80km,3.3V,ST,-40~85°C
OPT2488-85035STR	2.5Gb/s 1x9 Industrial Optical Transceiver,MMF,850nm,300m,5V,SC,-40~85°C
OPT2488-3125STR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,2km,5V,SC,-40~85°C
OPT2488-31205STR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,20km,5V,SC,-40~85°C
OPT2488-55405STR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1550nm,40km,5V,SC,-40~85°C
OPT2488-55805STR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,80km,5V,SC,-40~85°C
OPT2488-85035FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,MMF,850nm,300m,5V,FC,-40~85°C
OPT2488-3125FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,2km,5V,FC,-40~85°C
OPT2488-31205FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,20km,5V,FC,-40~85°C
OPT2488-55405FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1550nm,40km,5V,FC,-40~85°C
OPT2488-55805FTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,80km,5V,FC,-40~85°C
OPT2488-85035TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,MMF,850nm,300m,5V,ST,-40~85°C
OPT2488-3125TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,2km,5V,ST,-40~85°C
OPT2488-31205TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,20km,5V,ST,-40~85°C
OPT2488-55405TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1550nm,40km,5V,ST,-40~85°C
OPT2488-55805TTR	2.5Gb/s 1x9 Industrial Optical Transceiver,SMF,1310nm,80km,5V,ST,-40~85°C

CWDM 1x9 Optical Module

Part Number	Description
OTC155-XX403SCR	155Mb/s 1x9 CWDM Transceiver,SMF,XXnm,40km,SC,3.3V
OTC155-XX803SCR	155Mb/s 1x9 CWDM Transceiver,SMF,XXnm,80km,SC,3.3V
OTC155-XXA23SCR	155Mb/s 1x9 CWDM Transceiver,SMF,XXnm,120km,SC,3.3V
OTC1250-XX403SCR	1.25Gb/s 1x9 CWDM Transceiver,SMF,XXnm,40km,SC,3.3V
OTC1250-XX803SCR	1.25Gb/s 1x9 CWDM Transceiver,SMF,XXnm,80km,SC,3.3V
OTC1250-XXA23SCR	1.25Gb/s 1x9 CWDM Transceiver,SMF,XXnm,120km,SC,3.3V
OTC2488-XX403SCR	2.5Gb/s 1x9 CWDM Transceiver,SMF,XXnm,40km,SC,3.3V
OTC2488-XX803SCR	2.5Gb/s 1x9 CWDM Transceiver,SMF,XXnm,80km,SC,3.3V

Low Rate 1x9 Optical Module Series

0.5Mb/500kb 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OPT05-8513SCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,850nm,1km,3.3V,SC,0~70°C
OPT05-3123SCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,1310nm,2km,3.3V,SC,0~70°C
OPT05-31203SCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,SMF,1310nm,20km,3.3V,SC,0~70°C
OPT05-8513TCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,850nm,1km,3.3V,ST,0~70°C
OPT05-3123TCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,1310nm,2km,3.3V,ST,0~70°C
OPT05-31203TCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,SMF,1310nm,20km,3.3V,ST,0~70°C
OPT05-8513FCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,850nm,1km,3.3V,FC,0~70°C
OPT05-3123FCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,1310nm,2km,3.3V,FC,0~70°C
OPT05-31203FCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,SMF,1310nm,20km,3.3V,FC,0~70°C
OPT05-8515SCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,850nm,1km,5V,SC,0~70°C
OPT05-3125SCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,1310nm,2km,5V,SC,0~70°C
OPT05-31205SCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,SMF,1310nm,20km,5V,SC,0~70°C
OPT05-8515TCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,850nm,1km,5V,ST,0~70°C
OPT05-3125TCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,1310nm,2km,5V,ST,0~70°C
OPT05-31205TCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,SMF,1310nm,20km,5V,ST,0~70°C
OPT05-8515FCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,850nm,1km,5V,FC,0~70°C
OPT05-3125FCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,MMF,1310nm,2km,5V,FC,0~70°C
OPT05-31205FCR	0.5Mb/s(500Kb/s) 1x9 TTL Optical Transceiver,SMF,1310nm,20km,5V,FC,0~70°C

0.5Mb/500kb 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OPT05-8513STR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,3.3V,SC,-40~+85°C
OPT05-3123STR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,3.3V,SC,-40~+85°C
OPT05-31203STR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,SC,-40~+85°C
OPT05-8513TTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,3.3V,ST,-40~+85°C
OPT05-3123TTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,3.3V,ST,-40~+85°C
OPT05-31203TTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,ST,-40~+85°C
OPT05-8513FTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,3.3V,FC,-40~+85°C
OPT05-3123FTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,3.3V,FC,-40~+85°C
OPT05-31203FTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,FC,-40~+85°C
OPT05-8515STR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,5V,SC,-40~+85°C
OPT05-3125STR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,5V,SC,-40~+85°C
OPT05-31205STR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,5V,SC,-40~+85°C
OPT05-8515TTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,5V,ST,-40~+85°C
OPT05-3125TTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,5V,ST,-40~+85°C
OPT05-31205TTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,5V,ST,-40~+85°C

OPT05-8515FTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,5V,FC,-40~+85°C
OPT05-3125FTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,5V,FC,-40~+85°C
OPT05-31205FTR	0.5Mb/s(500Kb/s) 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,5V,FC,-40~+85°C

0.5Mb/500kb BiDi 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OTB05-35203SCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,SC,0~70°C
OTB05-53203SCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,SC,0~70°C
OTB05-35203TCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,ST,0~70°C
OTB05-53203TCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,ST,0~70°C
OTB05-35203FCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,FC,0~70°C
OTB05-53203FCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,FC,0~70°C
OTB05-35205SCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,SC,0~70°C
OTB05-53205SCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,SC,0~70°C
OTB05-35205TCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,ST,0~70°C
OTB05-53205TCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,ST,0~70°C
OTB05-35205FCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,FC,0~70°C
OTB05-53205FCR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,FC,0~70°C

0.5Mb/500kb BiDi 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OTB05-35203STR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,SC,-40~+85°C
OTB05-53203STR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,SC,-40~+85°C
OTB05-35203TTR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,ST,-40~+85°C
OTB05-53203TTR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,ST,-40~+85°C
OTB05-35203FTR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,FC,-40~+85°C
OTB05-53203FTR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,FC,-40~+85°C
OTB05-35205STR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,SC,-40~+85°C
OTB05-53205STR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,SC,-40~+85°C
OTB05-35205TTR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,ST,-40~+85°C
OTB05-53205TTR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,ST,-40~+85°C
OTB05-35205FTR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,FC,-40~+85°C
OTB05-53205FTR	0.5Mb/s(500Kb/s) BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,FC,-40~+85°C

2Mb/s 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OPT2-8513SCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,3.3V,SC,0~70°C
OPT2-3123SCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,3.3V,SC,0~70°C
OPT2-31203SCR	2Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,3.3V,SC,0~70°C
OPT2-8513TCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,3.3V,ST,0~70°C
OPT2-3123TCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,3.3V,ST,0~70°C
OPT2-31203TCR	2Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,3.3V,ST,0~70°C
OPT2-8513FCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,3.3V,FC,0~70°C
OPT2-3123FCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,3.3V,FC,0~70°C
OPT2-31203FCR	2Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,3.3V,FC,0~70°C
OPT2-8515SCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,5V,SC,0~70°C
OPT2-3125SCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,5V,SC,0~70°C
OPT2-31205SCR	2Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,5V,SC,0~70°C
OPT2-8515TCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,5V,ST,0~70°C
OPT2-3125TCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,5V,ST,0~70°C
OPT2-31205TCR	2Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,5V,ST,0~70°C
OPT2-8515FCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,5V,FC,0~70°C
OPT2-3125FCR	2Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,5V,FC,0~70°C
OPT2-31205FCR	2Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,5V,FC,0~70°C

2Mb/s 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OPT2-8513STR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,3.3V,SC,-40~+85°C
OPT2-3123STR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,3.3V,SC,-40~+85°C
OPT2-31203STR	2Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,SC,-40~+85°C
OPT2-8513TTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,3.3V,ST,-40~+85°C
OPT2-3123TTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,3.3V,ST,-40~+85°C
OPT2-31203TTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,ST,-40~+85°C
OPT2-8513FTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,3.3V,FC,-40~+85°C
OPT2-3123FTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,3.3V,FC,-40~+85°C
OPT2-31203FTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,FC,-40~+85°C
OPT2-8515STR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,5V,SC,-40~+85°C
OPT2-3125STR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,5V,SC,-40~+85°C
OPT2-31205STR	2Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,5V,SC,-40~+85°C
OPT2-8515TTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,5V,ST,-40~+85°C
OPT2-3125TTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,5V,ST,-40~+85°C
OPT2-31205TTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,5V,ST,-40~+85°C
OPT2-8515FTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,5V,FC,-40~+85°C

OPT2-3125FTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,5V,FC,-40~+85°C
OPT2-31205FTR	2Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,5V,FC,-40~+85°C

2Mb/s BiDi 1x9 Optical Transceiver Module (Commercial Temperature)

Part Number	Description
OTB2-35203SCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,SC,0~70°C
OTB2-53203SCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,SC,0~70°C
OTB2-35203TCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,ST,0~70°C
OTB2-53203TCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,ST,0~70°C
OTB2-35203FCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,FC,0~70°C
OTB2-53203FCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,FC,0~70°C
OTB2-35205SCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,SC,0~70°C
OTB2-53205SCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,SC,0~70°C
OTB2-35205TCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,ST,0~70°C
OTB2-53205TCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,ST,0~70°C
OTB2-35205FCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,FC,0~70°C
OTB2-53205FCR	2Mb/s BiDi 1x9 TTL Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,FC,0~70°C

2Mb/s BiDi 1x9 Optical Transceiver Module (Industrial Temperature)

Part Number	Description
OTB2-35203STR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,SC,-40~+85°C
OTB2-53203STR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,SC,-40~+85°C
OTB2-35203TTR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,ST,-40~+85°C
OTB2-53203TTR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,ST,-40~+85°C
OTB2-35203FTR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,FC,-40~+85°C
OTB2-53203FTR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,FC,-40~+85°C
OTB2-35205STR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,SC,-40~+85°C
OTB2-53205STR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,SC,-40~+85°C
OTB2-35205TTR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,ST,-40~+85°C
OTB2-53205TTR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,ST,-40~+85°C
OTB2-35205FTR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,FC,-40~+85°C
OTB2-53205FTR	2Mb/s BiDi 1x9 TTL Industrial Optical Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,FC,-40~+85°C

10Mb/s 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OPT10-8513SCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,3.3V,SC,0~70°C
OPT10-3123SCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,3.3V,SC,0~70°C
OPT10-31203SCR	10Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,3.3V,SC,0~70°C
OPT10-8513TCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,3.3V,ST,0~70°C
OPT10-3123TCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,3.3V,ST,0~70°C
OPT10-31203TCR	10Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,3.3V,ST,0~70°C
OPT10-8513FCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,3.3V,FC,0~70°C
OPT10-3123FCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,3.3V,FC,0~70°C
OPT10-31203FCR	10Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,3.3V,FC,0~70°C
OPT10-8515SCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,5V,SC,0~70°C
OPT10-3125SCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,5V,SC,0~70°C
OPT10-31205SCR	10Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,5V,SC,0~70°C
OPT10-8515TCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,5V,ST,0~70°C
OPT10-3125TCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,5V,ST,0~70°C
OPT10-31205TCR	10Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,5V,ST,0~70°C
OPT10-8515FCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,850nm,1km,5V,FC,0~70°C
OPT10-3125FCR	10Mb/s 1x9 TTL Optical Transceiver,MMF,1310nm,2km,5V,FC,0~70°C
OPT10-31205FCR	10Mb/s 1x9 TTL Optical Transceiver,SMF,1310nm,20km,5V,FC,0~70°C

10Mb/s 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OPT10-8513STR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,3.3V,SC,-40~+85°C
OPT10-3123STR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,3.3V,SC,-40~+85°C
OPT10-31203STR	10Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,SC,-40~+85°C
OPT10-8513TTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,3.3V,ST,-40~+85°C
OPT10-3123TTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,3.3V,ST,-40~+85°C
OPT10-31203TTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,ST,-40~+85°C
OPT10-8513FTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,3.3V,FC,-40~+85°C
OPT10-3123FTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,3.3V,FC,-40~+85°C
OPT10-31203FTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,3.3V,FC,-40~+85°C
OPT10-8515STR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,5V,SC,-40~+85°C
OPT10-3125STR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,5V,SC,-40~+85°C
OPT10-31205STR	10Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,5V,SC,-40~+85°C
OPT10-8515TTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,5V,ST,-40~+85°C
OPT10-3125TTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,5V,ST,-40~+85°C
OPT10-31205TTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,5V,ST,-40~+85°C
OPT10-8515FTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,850nm,1km,5V,FC,-40~+85°C

OPT10-3125FTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,MMF,1310nm,2km,5V,FC,-40~+85°C
OPT10-31205FTR	10Mb/s 1x9 TTL Industrial Optical Transceiver,SMF,1310nm,20km,5V,FC,-40~+85°C

52Mbps Dual Fiber 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OPT52-8523SCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,3.3V,SC,0~70°C
OPT52-3123SCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,SC,0~70°C
OPT52-31203SCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,SC,0~70°C
OPT52-31403SCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,SC,0~70°C
OPT52-55803SCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,80km,3.3V,SC,0~70°C
OPT52-55A23SCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,120km,3.3V,SC,0~70°C
OPT52-8523TCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,3.3V,ST,0~70°C
OPT52-3123TCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,ST,0~70°C
OPT52-31203TCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,ST,0~70°C
OPT52-31403TCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,ST,0~70°C
OPT52-55803TCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,80km,3.3V,ST,0~70°C
OPT52-55A23TCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,120km,3.3V,ST,0~70°C
OPT52-8523FCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,3.3V,FC,0~70°C
OPT52-3123FCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,FC,0~70°C
OPT52-31203FCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,FC,0~70°C
OPT52-31403FCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,FC,0~70°C
OPT52-55803FCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,80km,3.3V,FC,0~70°C
OPT52-55A23FCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,120km,3.3V,FC,0~70°C
OPT52-8525SCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,5V,SC,0~70°C
OPT52-3125SCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,5V,SC,0~70°C
OPT52-31205SCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,5V,SC,0~70°C
OPT52-31405SCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,5V,SC,0~70°C
OPT52-55805SCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,80km,5V,SC,0~70°C
OPT52-55A25SCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,120km,5V,SC,0~70°C
OPT52-8525TCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,5V,ST,0~70°C
OPT52-3125TCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,5V,ST,0~70°C
OPT52-31205TCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,5V,ST,0~70°C
OPT52-31405TCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,5V,ST,0~70°C
OPT52-55805TCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,80km,5V,ST,0~70°C
OPT52-55A25TCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,120km,5V,ST,0~70°C
OPT52-8525FCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,5V,FC,0~70°C
OPT52-3125FCR	52Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,5V,FC,0~70°C
OPT52-31205FCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,5V,FC,0~70°C
OPT52-31405FCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,5V,FC,0~70°C
OPT52-55805FCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,80km,5V,FC,0~70°C

OPT52-55A25FCR	52Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,120km,5V,FC,0~70°C
----------------	--

52Mbps Dual Fiber 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OPT52-8523STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,3.3V,SC,-40~+85°C
OPT52-3123STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,SC,-40~+85°C
OPT52-31203STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,SC,-40~+85°C
OPT52-31403STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,SC,-40~+85°C
OPT52-55803STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,80km,3.3V,SC,-40~+85°C
OPT52-55A23STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,120km,3.3V,SC,-40~+85°C
OPT52-8523TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,3.3V,ST,-40~+85°C
OPT52-3123TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,ST,-40~+85°C
OPT52-31203TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,ST,-40~+85°C
OPT52-31403TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,ST,-40~+85°C
OPT52-55803TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,80km,3.3V,ST,-40~+85°C
OPT52-55A23TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,120km,3.3V,ST,-40~+85°C
OPT52-8523FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,3.3V,FC,-40~+85°C
OPT52-3123FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,FC,-40~+85°C
OPT52-31203FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,FC,-40~+85°C
OPT52-31403FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,FC,-40~+85°C
OPT52-55803FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,80km,3.3V,FC,-40~+85°C
OPT52-55A23FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,120km,3.3V,FC,-40~+85°C
OPT52-8525STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,5V,SC,-40~+85°C
OPT52-3125STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,5V,SC,-40~+85°C
OPT52-31205STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,5V,SC,-40~+85°C
OPT52-31405STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,5V,SC,-40~+85°C
OPT52-55805STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,80km,5V,SC,-40~+85°C
OPT52-55A25STR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,120km,5V,SC,-40~+85°C
OPT52-8525TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,5V,ST,-40~+85°C
OPT52-3125TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,5V,ST,-40~+85°C
OPT52-31205TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,5V,ST,-40~+85°C
OPT52-31405TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,5V,ST,-40~+85°C
OPT52-55805TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,80km,5V,ST,-40~+85°C
OPT52-55A25TTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,120km,5V,ST,-40~+85°C
OPT52-8525FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,5V,FC,-40~+85°C
OPT52-3125FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,5V,FC,-40~+85°C
OPT52-31205FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,5V,FC,-40~+85°C
OPT52-31405FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,5V,FC,-40~+85°C
OPT52-55805FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,80km,5V,FC,-40~+85°C
OPT52-55A25FTR	52Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,120km,5V,FC,-40~+85°C

52Mb/s BiDi 1x9 Optical Transceiver Module (Commercial Temperature)

Part Number	Description
OTB52-35203SCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,SC,0~70°C
OTB52-53203SCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,SC,0~70°C
OTB52-35203TCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,ST,0~70°C
OTB52-53203TCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,ST,0~70°C
OTB52-35203FCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,FC,0~70°C
OTB52-53203FCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,FC,0~70°C
OTB52-35205SCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,SC,0~70°C
OTB52-53205SCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,SC,0~70°C
OTB52-35205TCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,ST,0~70°C
OTB52-53205TCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,ST,0~70°C
OTB52-35205FCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,FC,0~70°C
OTB52-53205FCR	52Mb/s BiDi 1x9 Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,FC,0~70°C

52Mb/s BiDi 1x9 Optical Transceiver Module (Industrial Temperature)

Part Number	Description
OTB52-35203STR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,SC,-40~+85°C
OTB52-53203STR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,SC,-40~+85°C
OTB52-35203TTR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,ST,-40~+85°C
OTB52-53203TTR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,ST,-40~+85°C
OTB52-35203FTR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,3.3V,FC,-40~+85°C
OTB52-53203FTR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,3.3V,FC,-40~+85°C
OTB52-35205STR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,SC,-40~+85°C
OTB52-53205STR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,SC,-40~+85°C
OTB52-35205TTR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,ST,-40~+85°C
OTB52-53205TTR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,ST,-40~+85°C
OTB52-35205FTR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1310nm/Rx1550nm,20km,5V,FC,-40~+85°C
OTB52-53205FTR	52Mb/s BiDi 1x9 Industrial Fiber Optic Transceiver,SMF,Tx1550nm/Rx1310nm,20km,5V,FC,-40~+85°C

84Mbps Dual Fiber 1x9 Optical Module (Commercial Temperature)

Part Number	Description
OPT84-8523SCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,3.3V,SC,0~70°C
OPT84-3123SCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,SC,0~70°C
OPT84-31203SCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,SC,0~70°C
OPT84-31403SCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,SC,0~70°C
OPT84-55803SCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,80km,3.3V,SC,0~70°C
OPT84-55A23SCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,120km,3.3V,SC,0~70°C

OPT84-8523TCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,3.3V,ST,0~70°C
OPT84-3123TCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,ST,0~70°C
OPT84-31203TCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,ST,0~70°C
OPT84-31403TCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,ST,0~70°C
OPT84-55803TCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,80km,3.3V,ST,0~70°C
OPT84-55A23TCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,120km,3.3V,ST,0~70°C
OPT84-8523FCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,3.3V,FC,0~70°C
OPT84-3123FCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,FC,0~70°C
OPT84-31203FCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,FC,0~70°C
OPT84-31403FCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,FC,0~70°C
OPT84-55803FCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,80km,3.3V,FC,0~70°C
OPT84-55A23FCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,120km,3.3V,FC,0~70°C
OPT84-8525SCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,5V,SC,0~70°C
OPT84-3125SCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,5V,SC,0~70°C
OPT84-31205SCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,5V,SC,0~70°C
OPT84-31405SCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,5V,SC,0~70°C
OPT84-55805SCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,80km,5V,SC,0~70°C
OPT84-55A25SCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,120km,5V,SC,0~70°C
OPT84-8525TCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,5V,ST,0~70°C
OPT84-3125TCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,5V,ST,0~70°C
OPT84-31205TCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,5V,ST,0~70°C
OPT84-31405TCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,5V,ST,0~70°C
OPT84-55805TCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,80km,5V,ST,0~70°C
OPT84-55A25TCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,120km,5V,ST,0~70°C
OPT84-8525FCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,850nm,2km,5V,FC,0~70°C
OPT84-3125FCR	84Mb/s 1x9 Fiber Optic Transceiver,MMF,1310nm,2km,5V,FC,0~70°C
OPT84-31205FCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,20km,5V,FC,0~70°C
OPT84-31405FCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1310nm,40km,5V,FC,0~70°C
OPT84-55805FCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,80km,5V,FC,0~70°C
OPT84-55A25FCR	84Mb/s 1x9 Fiber Optic Transceiver,SMF,1550nm,120km,5V,FC,0~70°C

[Back to Contents](#)

84Mbps Dual Fiber 1x9 Optical Module (Industrial Temperature)

Part Number	Description
OPT84-8523STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,3.3V,SC,-40~+85°C
OPT84-3123STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,SC,-40~+85°C
OPT84-31203STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,SC,-40~+85°C
OPT84-31403STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,SC,-40~+85°C
OPT84-55803STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,80km,3.3V,SC,-40~+85°C
OPT84-55A23STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,120km,3.3V,SC,-40~+85°C
OPT84-8523TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,3.3V,ST,-40~+85°C

OPT84-3123TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,ST,-40~+85°C
OPT84-31203TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,ST,-40~+85°C
OPT84-31403TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,ST,-40~+85°C
OPT84-55803TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,80km,3.3V,ST,-40~+85°C
OPT84-55A23TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,120km,3.3V,ST,-40~+85°C
OPT84-8523FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,3.3V,FC,-40~+85°C
OPT84-3123FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,3.3V,FC,-40~+85°C
OPT84-31203FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,3.3V,FC,-40~+85°C
OPT84-31403FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,3.3V,FC,-40~+85°C
OPT84-55803FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,80km,3.3V,FC,-40~+85°C
OPT84-55A23FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,120km,3.3V,FC,-40~+85°C
OPT84-8525STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,5V,SC,-40~+85°C
OPT84-3125STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,5V,SC,-40~+85°C
OPT84-31205STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,5V,SC,-40~+85°C
OPT84-31405STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,5V,SC,-40~+85°C
OPT84-55805STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,80km,5V,SC,-40~+85°C
OPT84-55A25STR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,120km,5V,SC,-40~+85°C
OPT84-8525TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,5V,ST,-40~+85°C
OPT84-3125TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,5V,ST,-40~+85°C
OPT84-31205TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,5V,ST,-40~+85°C
OPT84-31405TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,5V,ST,-40~+85°C
OPT84-55805TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,80km,5V,ST,-40~+85°C
OPT84-55A25TTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,120km,5V,ST,-40~+85°C
OPT84-8525FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,850nm,2km,5V,FC,-40~+85°C
OPT84-3125FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,MMF,1310nm,2km,5V,FC,-40~+85°C
OPT84-31205FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,20km,5V,FC,-40~+85°C
OPT84-31405FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1310nm,40km,5V,FC,-40~+85°C
OPT84-55805FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,80km,5V,FC,-40~+85°C
OPT84-55A25FTR	84Mb/s 1x9 Industrial Fiber Optic Transceiver,SMF,1550nm,120km,5V,FC,-40~+85°C

Back to Contents

Warnings

Handling Precautions: This device is susceptible to damage as a result of electrostatic discharge (ESD). A static free environment is highly recommended. Follow guidelines according to proper ESD procedures.

Laser Safety: Radiation emitted by laser devices can be dangerous to human eyes. Avoid eye exposure to direct or indirect radiation.

For more product information,visit us on the web at www.optcore.net



DS10001/VER170418/EN Copyright © 2017 Optcore Technology Co.,Ltd. All rights reserved.
Optcore, Optcore logo are registered trademarks of Optcore Technology Co.,Ltd. All other brands, product names, or trademarks mentioned are the property of their respective owners.
Specifications and product availability are subject to change without notice. Optcore assumes no responsibility for inaccuracies contained herein.

